

GLOSSY SERIES

300x600mm



K 101



K 101 HL 1
(Reactive)



K 101 HL 2
(Reactive)

GLOSSY SERIES

300x600mm



K 102 L



K 102 HL 1
(Reactive)



K 102 HL 2



K 102 hl 3

GLOSSY SERIES

300x600mm



K 103



K 103 HL 1



K 103 HL 2



K 103

GLOSSY SERIES

300x600mm



K 103



K 103 HL 3



K 103 HL 4



K 103

GLOSSY SERIES

300x600mm




K 104



K 104 HL 1
(Reactive)




K 104 HL 2
(Reactive)



K 104

GLOSSY SERIES

300x600mm



K 105
(Reactive)



K 105 HL 1
(Reactive)




K 105 HL 2
(Reactive)



K 105 HL 3
(Reactive)

GLOSSY SERIES

300x600mm




K 106
(Reactive)



K 106 HL 1
(Reactive)



K 106 HL 2
(Reactive)



K 106
(Reactive)

GLOSSY SERIES

300x600mm




K 107 L
(Reactive)



K 107 HL 1
(Reactive)



K 107 HL 2
(Reactive)



K 107 L
(Reactive)

GLOSSY SERIES

300x600mm




K 108



K 108 HL 1



K 108 HL 2




K 108

GLOSSY SERIES

300x600mm



K 109 L



K 109 HL 1



K 109 L

GLOSSY SERIES

300x600mm



K 109 HL 2



K 109 HL 3



K 109 HL 4



K 109 L

CHARACTERISTICS	EUROSTANDARDS EN	SONIC VALUE			
DIMENSION & SURFACE QUALITY					
1. Dimension & Surface Quality	0.5%	0.4%			
2. Deviation in Thickness	0.6mm	0.5mm			
3. Straightness of Sides	0.3%	0.2%			
4. Rectangularity	0.5%	0.3%			
5. Surface Flatness	0.5%	0.5%			
6. Surface Quality	Min. 95%	Min. 96%			
PHYSICAL PROPERTIES					
1. Water Absorption	>10%	12-18%			
2. Bending Strength	>150 kg./Cm. ²	150 kg./Cm. ²			
3. Scratch Hardness (mohs scale)	Min 3	Min 3			
4. crazing Resistance	1 Cycle	No Crazing Upto 4 Cycles			
5. Relevent Group	B III	B III			
6. Type of Tiles	-	Dust Press Wall Tiles			
CHEMICAL PROPERTIES					
1. Staining Resistance	Min class 2	Resistant To all Acids and Alkalis & Household Chemicals except Hydro Flouric Acid			
2. Household Chemical	Min class B				
THERMAL PROPERTIES					
1. Thermal Shock Resistance	Resistant 10 Cycles	CONFORMS			
2. Thermal Expansion	9x10 ⁻⁶ k ⁻¹ Max	CONFORMS			
Packing Details					
Dimension in mm	Thickness in mm.	Tiles Per Box (Pcs)	Area Converage Per Box (Sq. Mtr.)	Area Weight per box (kg.) Approx	
300x600	9 (Approx.)	5	0.90	9.68	14.5kg.
300x300 Floor	9 (Approx.)	9	0.81	8.71	11.5kg.